Journal of MOLECULAR BIOLOGY

EDITOR-IN-CHIEF
J. C. KENDREW

ASSISTANT EDITOR
S. BRENNER

EDITORIAL BOARD
C. R. Cantor
P. Chambon
W. W. Franke
M. Gellert
G. A. Gilbert
M. Gottesman
R. Huber
H. E. Huxley
A. Klug
V. Luzzati
M. F. Moody
K. Simons

VOLUME 151

5 September to 5 October 1981

ACADEMIC PRESS
London New York San Francisco

QH
301
J73

Copyright © 1981, by Academic Press Inc. (London) Ltd.

ALL RIGHTS RESERVED

No part of this volume may be reproduced in any form, by photostat, microfilm, or any other means, without written permission from the publishers.

Printed in Great Britain

CONTENTS OF VOLUME 151

Number 1, 5 September 1981

Hall, M. N. and Silhavy, T. J., Genetic Analysis of the *ompB* Locus in *Escherichia coli* K-12 1

Deininger, P. L., Jolly, D. J., Rubin, C. M., Friedmann, T. and Schmid, C. W., Base Sequence Studies of 300 Nucleotide Renatured Repeated Human DNA Clones 17

Skup, D., Zarbl, H. and Millward, S., Regulation of Translation in L-cells Infected with Reovirus 35

Robertson, J. M. and Wintermeyer, W., Effect of Translocation on Topology and Conformation of Anticodon and D Loops of $tRNA^{Phe}$. 57

Bona, M., Scheer, U. and Bautz, E. K. F., Antibodies to RNA Polymerase II (B) Inhibit Transcription in Lampbrush Chromosomes after Microinjection into Living Amphibian Oocytes 81

Lemischka, I. R., Farmer, S., Racaniello, V. R. and Sharp, P. A., Nucleotide Sequence and Evolution of a Mammalian α-Tubulin Messenger RNA 101

Krohne, G., Dabauvalle, M.-C. and Franke, W. W., Cell Type-specific Differences in Protein Composition of Nuclear Pore Complex-Lamina Structures in Oocytes and Erythrocytes of *Xenopus laevis* . . . 121

Watanabe, K. and Iso, K., Quantitative Analysis of Chromatin Structure by Circular Dichroism 143

Na, G. C. and Timasheff, S. N., Interaction of Calf Brain Tubulin with Glycerol 165

Keim, P., Heinrikson, R. L. and Fitch, W. M., An Examination of the Expected Degree of Sequence Similarity that might arise in Proteins that have Converged to Similar Conformational States. The Impact of such Expectations on the Search for Homology between the Structurally Similar Domains of Rhodanese 179

Mao, B., Pear, M. R., McCammon, J. A. and Northrup, S. H., Repulsive Interactions Between Polar and Apolar Atoms in Globular Proteins . 199

Letters to the Editor

O'Hare, K., Replication of Polyoma Plasmid Recombinants in Mouse Cells 203

Creighton, T. E., Accessibilities and Reactivities of Cysteine Thiols During Refolding of Reduced Bovine Pancreatic Trypsin Inhibitor 211

NUMBER 2, 15 SEPTEMBER 1981

KOLODRUBETZ, D. and SCHEIF, R., Regulation of the L-Arabinose Transport Operons in *Escherichia coli* 215

GIRSHOVICH, A. S., BOCHKAREVA, A. S. and OVCHINNIKOV, Y. A., Elongation Factor G and Protein S12 are the Nearest Neighbours in the *Escherichia coli* Ribosome. 229

IKOKU, A. S. and HEARST, J. E., Identification of a Structural Hairpin in the Filamentous Chimeric Phage M13*Gori*1 245

THORNTON, J. M., Disulphide Bridges in Globular Proteins 261

GRAU, U. M., TROMMER, W. E. and ROSSMANN, M. G., Structure of the Active Ternary Complex of Pig Heart Lactate Dehydrogenase with *S*-lac-NAD^+ at 2·7 Å 289

LETTERS TO THE EDITOR

TRINICK, J. A., End-filaments: A New Structural Element of Vertebrate Skeletal Muscle Thick Filaments 309

GIACOMETTI, G. M., ASCENZI, P., BRUNORI, M., RIGATTI, G., GIACOMETTI, G. and BOLOGNESI, M., Absence of Water at the Sixth Co-ordination Site in Ferric *Aplysia* Myoglobin 315

BANKS, G. R., SPANOS, A., KAIRIS, M. V. and MOLINEUX, I. J., Electron Microscopy of a Eukaryotic Single-stranded DNA Binding Protein–DNA Complex. 321

DUCRUIX, A., ARNOUX, B., PASCARD, C., LECROISEY, A. and KEIL, B., Crystallization and Preliminary X-ray Diffraction Data for the Collagenase of *Hypoderma lineatum* Larvae 327

MELLEMA, J. E., ANDREE, P. J., KRYGSMAN, P. C. J., KROON, C., RUIGROK, R. W. H., CUSACK, S., MILLER, A. and ZULAUF, M., Structural Investigations of Influenza B Virus 329

NUMBER 3, 25 SEPTEMBER 1981

GREEN, M., WOLD, W. S. M. and BÜTTNER, W., Integration and Transcription of Group C Human Adenovirus Sequences in the DNA of Five Lines of Transformed Rat Cells 337

CLARK-WALKER, G. D. and SRIPRAKASH, K. S., Sequence Rearrangements between Mitochondrial DNAs of *Torulopsis glabrata* and *Kloeckera africana* Identified by Hybridization with Six Polypeptide Encoding Regions from *Saccharomyces cerevisiae* Mitochondrial DNA 367

IKEMURA, T., Correlation between the Abundance of *Escherichia coli* Transfer RNAs and the Occurrence of the Respective Codons in its Protein Genes: A Proposal for a Synonymous Codon Choice that is Optimal for the *E. coli* Translational System 389

ARATA, T. and SHIMIZU, H., Spin-Label Study of Actin–Myosin–Nucleotide Interactions in Contracting Glycerinated Muscle Fibers. 411

WAGENKNECHT, T., DEROSIER, D., SHAPIRO, L. and WEISSBORN, A., Three-dimensional Reconstruction of the Flagellar Hook from *Caulobacter crescentus* 439

YAGI, N. and OFFER, G. W., X-ray Diffraction and Electron Microscopy of a Light Meromyosin Tactoid 467

HAYWARD, S. B. and STROUD, R. M., Projected Structure of Purple Membrane Determined to 3·7 Å Resolution by Low Temperature Electron Microscopy 491

NUSSINOV, R. and TINOCO, I. JR, Sequential Folding of a Messenger RNA Molecule. 519

DREW, H. R. and DICKERSON, R. E., Structure of a *B*-DNA Dodecamer. III. Geometry of Hydration 535

LETTERS TO THE EDITOR

STASIAK, A., DI CAPUA, E. and KOLLER, TH., Elongation of Duplex DNA by recA Protein 557

GEISLER, N. and WEBER, K., Self-assembly *in Vitro* of the 68,000 Molecular Weight Component of the Mammalian Neurofilament Triplet Proteins into Intermediate-sized Filaments. 565

NUMBER 4, 5 OCTOBER 1981

SPOHR, G., REITH, W. and SURES, I., Organization and Sequence Analysis of a Cluster of Repetitive DNA Elements from *Xenopus laevis* 573

MCKEOWN, M. and FIRTEL, R. A., Evidence for Sub-families of Actin Genes in *Dictyostelium* as Determined by Comparison of 3′ End Sequences . . 593

SEILER-TUYNS, A. and BIRNSTIEL, M. L., Structure and Expression in L-cells of Cloned H4 Histone Gene of the Mouse 607

MASTROMEI, G., ELIASSON, R. and REICHARD, P., Stimulation of Polyoma DNA Replication in Isolated Nucleoprotein Complexes by Factors from *Drosophila* Embryos 627

KIDD, S. J. and GLOVER, D. M., *Drosophila melanogaster* Ribosomal DNA Containing Type II Insertions is Variably Transcribed in Different Strains and Tissues 645

OFFER, G., COUCH, J., O'BRIEN, E. and ELLIOTT, A., Arrangement of Cross-bridges in Insect Flight Muscle in Rigor 663

Appendix: The Continuous and Sampled Intensities Expected with Statistical Rotation of the Thin Elements 699

LUTHER, P. K., MUNRO, P. M. G. and SQUIRE, J. M., Three-dimensional Structure of the Vertebrate Muscle A-band. III. M-region Structure and Myosin Filament Symmetry 703

Index to Volume 151

A-band of vertebrate muscle, three-dimensional structure: M-region structure and myosin filament symmetry, 703
Actin gene sub-families in *Dictyostelium*, evidence determined by comparisons of 3′ end sequences, 593
Actin–myosin–nucleotide interactions in contracting glycerinated muscle fibers, spin-label study, 411
Adenovirus sequences, group C human, integration and transcription in the DNA of five lines of transformed rat cells, 337
Amphibian oocytes, living, antibodies to RNA polymerase II (B) inhibit transcription in lampbrush chromosomes after their microinjection, 81
ANDREE, P. J. (see also MELLEMA, J. E.), 329
Antibodies to RNA polymerase II (B) inhibit transcription in lampbrush chromosomes after microinjection into living amphibian oocytes, 81
Anticodon and D loops of $tRNA^{Phe}$, effect of translocation on topology and conformation, 57
Aplysia myoglobin, ferric, absence of water at the sixth co-ordination site, 315
Apolar and polar atoms, repulsive interactions between, in globular proteins, 199
L-Arabinose transport operon regulation in *Escherichia coli*, 215
ARATA, T. & SHIMIZU, H., Spin-label study of actin–myosin–nucleotide interactions in contracting glycerinated muscle fibers, 411
ARNOUX, B. (see also DUCRUIX, A.), 327
ASCENZI, P. (see also GIACOMETTI, G. M.), 315

Bacteriophage M13*Gori*1, chimeric, filamentous, identification of a structural hairpin, 245
BANKS, G. R., SPANOS, A., KAIRIS, M. V. & MOLINEUX, I. J., Electron microscopy of a eukaryotic single-stranded DNA binding protein–DNA complex, 321
Base sequence studies of 300 nucleotide renatured repeated human DNA clones, 17
BAUTZ, E. K. F. (see also BONA, M.), 81
Binding protein, single-stranded DNA, electron microscopy of complex with DNA, 321
BIRNSTEIL, M. L. (see also SEILER-TUYNS, A.), 607
BOCHKAREVA, A. S. (see also GIRSHOVICH, A. S.), 229
BOLOGNESI, M. (see also GIACOMETTI, G. M.), 315
BONA, M., SCHEER, U. & BAUTZ, E. K. F., Antibodies to RNA polymerase II (B) inhibit transcription in lampbrush chromosomes after microinjection into living amphibian oocytes, 81
Bovine pancreatic trypsin inhibitor, reduced, accessibilities and reactivities of cysteine thiols during refolding, 211
Brain tubulin, calf, interaction with glycerol, 165
Bridges, disulphide, in globular proteins, 261
BRUNORI, M. (see also GIACOMETTI, G. M.), 315
BÜTTNER, W. (see also GREEN, M.), 337

Calf brain tubulin, interaction with glycerol, 165
Caulobacter crescentus, three-dimensional reconstruction of the flagellar hook, 439
Cell type-specific differences in protein composition of nuclear pore complex-lamina structures in oocytes and erythrocytes of *Xenopus laevis*, 121
Chromatin structure, quantitative analysis by circular dichroism, 143
Chromosomes, lampbrush: transcription is inhibited by antibodies to RNA polymerase II (B) after microinjection into living amphibian oocytes, 81
Circular dichroism and quantitative analysis of chromatin structure, 143
CLARK-WALKER, G. D. & SRIPRAKASH, K. S., Sequence rearrangements between mitochondrial DNAs of *Torulopsis glabrata* and *Kloeckera africana* identified by hybridization with six polypeptide encoding regions from *Saccharomyces cerevisiae* mitochondrial DNA, 367
Cloned H4 histone gene of the mouse, structure and expression in L-cells, 607
Clones: base sequence studies of 300 nucleotide renatured repeated human DNA clones, 17
Cluster of repetitive DNA elements from *Xenopus laevis*, organization and sequence analysis, 573

Codons: correlation between the abundance of *Escherichia coli* transfer RNAs and the occurrence of the respective codons in its protein genes; a proposal for a synonymous codon choice that is optimal for the *E. coli* translational system, 389
Collagenase of *Hypoderma lineatum* larvae, crystallization and preliminary X-ray diffraction data, 327
Conformation and topology of anticodon and D loops of $tRNA^{Phe}$, effect of translocation, 57
Co-ordination site, sixth, in ferric *Aplysia* myoglobin, water is absent, 315.
COUCH, J. (see also OFFER, G.), 663
CREIGHTON, T. E., Accessibilities and reactivities of cysteine thiols during refolding of reduced bovine pancreatic trypsin inhibitor, 211
Cross-bridges, arrangement in insect flight muscle in rigor, 663
Crystallization and preliminary X-ray diffraction data for the collagenase of *Hypoderma lineatum* larvae, 327
CUSACK, S. (see also MELLEMA, J. E.), 329
Cysteine thiols, accessibilities and reactivities during refolding of reduced bovine pancreatic trypsin inhibitor, 211

D loops and anticodon of $tRNA^{Phe}$, effect of translocation on topology and conformation, 57
DABAUVALLE, M.-C. (see also KROHNE, G.), 121
DEININGER, P. L., JOLLY, D. J., RUBIN, C. M., FRIEDMANN, T. & SCHMID, C. W., Base sequence studies of 300 nucleotide renatured repeated human DNA clones, 17
DNA clones, human, repeated, renatured, 300 nucleotide; base sequence studies, 17
—, duplex, elongation by recA protein, 557
— of five lines of transformed rat cells, integration and transcription of group C human adenovirus sequences, 337
—, organization and sequence analysis of a cluster of repetitive elements from *Xenopus laevis*, 573
—, polyoma, stimulation of replication in isolated nucleoprotein complexes by factors from *Drosophila* embryos, 627
—, ribosomal, of *Drosophila melanogaster*, containing type II insertions, is variably transcribed in different strains and tissues, 645
—, single-stranded, binding protein–DNA complex: electron microscopy, 321
DNAs, mitochondrial, of *Torulopsis glabrata* and *Kloeckera africana*, sequence rearrangements identified by hybridization with six polypeptide encoding regions from *Saccharomyces cerevisiae* mitochondrial DNA, 367
B-DNA dodecamer structure: geometry of hydration, 535
DEROSIER, D. (see also WAGENKNECHT, T.), 439
DI CAPUA, E. (see also STASIAK, A.), 557
DICKERSON, R. E. (see also DREW, H. R.), 535
Dictyostelium, evidence for sub-families of actin genes as determined by comparisons of 3′ end sequences, 593
Disulphide bridges in globular proteins, 261
DREW, H. R. & DICKERSON, R. E., Structure of a *B*-DNA dodecamer. III. Geometry of hydration, 535
Drosophila melanogaster ribosomal DNA containing type II insertions is variably transcribed in different strains and tissues, 645
— embryo factors stimulate polyoma DNA replication in isolated nucleoprotein complexes, 627
DUCRIUX, A., ARNOUX, B., PASCARD, C., LECROISEY, A. & KEIL, B., Crystallization and preliminary X-ray diffraction data for the collagenase of *Hypoderma lineatum* larvae, 327
Duplex DNA elongation by recA protein, 557

Electron microscopy of a eukaryotic single-stranded DNA binding protein–DNA complex, 321
— —, low temperature, of purple membrane; projected structure at 3·7 Å resolution, 491
— — and X-ray diffraction of a light meromyosin tactoid, 467
ELLASSON, R. (see also MASTROMEI, G.), 627
ELLIOTT, A. (see also OFFER, G.), 663
Elongation of duplex DNA by recA protein, 557
— factor G and protein S12 are the nearest neighbours in the *Escherichia coli* ribosome, 229
Embryo, *Drosophila*, factors stimulate polyoma DNA replication in isolated nucleoprotein complexes, 627
End-filaments: a new structural element of vertebrate skeletal muscle thick filaments, 309

Erythrocytes and oocytes of *Xenopus laevis*, cell type-specific differences in protein composition of nuclear pore complex-lamina structures, 121
Escherichia coli, correlation between the abundance of tRNAs and the occurrence of the respective codons in its protein genes: a proposal for a synonymous codon choice that is optimal for the *E. coli* translational system, 389
— — K-12, genetic analysis of the *ompB* locus, 1
— —, regulation of the L-arabinose transport operons, 215
— — ribosome, elongation factor G and protein S12 are the nearest neighbours, 229
Eukaryotic single-stranded DNA binding protein–DNA complex, electron microscopy, 321
Evolution and nucleotide sequence of a mammalian α-tubulin mRNA, 101

Farmer, S. (see also Lemischka, I. R.), 101
Ferric *Aplysia* myoglobin, absence of water at the sixth co-ordination site, 315
Filament symmetry of myosin, and M-region structure; three-dimensional structure of the vertebrate muscle A-band, 703
Filamentous chimeric phage M13*Gori*1, identification of a structural hairpin, 245
Filaments, thick, of vertebrate skeletal muscle, a new structural element: end-filaments, 309
Firtel, R. A. (see also McKeown, M.), 593
Fitch, W. M. (see also Keim, P.), 179
Flagellar hook from *Caulobacter crescentus*, three-dimensional reconstruction, 439
Flight muscle, insect, in rigor, arrangement of cross-bridges, 663
Folding, sequential, of a messenger RNA molecule, 519
Franke, W. W. (see also Krohne, G.), 121
Friedmann, T. (see also Deininger, P. L.), 17

Geisler, N. & Weber, K., Self-assembly *in vitro* of the 68,000 molecular weight component of the mammalian neurofilament triplet proteins into intermediate-sized filaments, 565
Gene, H4 histone, cloned, of the mouse, structure and expression in L-cells, 607
Genes, actin, evidence for sub-families in *Dictyostelium* as determined by comparisons of 3′ end sequences, 593
—, protein, correlation between the abundance of *Escherichia coli* transfer RNAs and the occurrence of the respective codons; a proposal for a synonymous codon choice that is optimal for the *E. coli* translational system, 389
Genetic analysis of the *ompB* locus in *Escherichia coli* K-12, 1
Giacometti, G. (see also Giacometti, G. M.), 315
Giacometti, G. M., Ascenzi, P., Brunori, M., Rigatti, G., Giacometti, G. & Bolognesi, M., Absence of water at the sixth co-ordination site in ferric *Aplysia* myoglobin, 315
Girshovich, A. S., Bochkareva, A. S. & Ovchinnikov, Y. A., Elongation factor G and protein S12 are the nearest neighbours in the *Escherichia coli* ribosome, 229
Globular protein disulphide bridges, 261
— proteins, repulsive interactions between polar and apolar atoms, 199
Glover, D. M. (see also Kidd, S. J.), 645
Glycerinated muscle fibers, contracting, spin-label study of actin–myosin–nucleotide interactions, 411
Glycerol, interaction with calf brain tubulin, 165
Grau, U. M., Trommer, W. E. & Rossmann, M. G., Structure of the active ternary complex of pig heart lactate dehydrogenase with *S*-lac-NAD^+ at 2·7 Å, 289
Green, M., Wold, W. S. M. & Büttner, W., Integration and transcription of group C human adenovirus sequences in the DNA of five lines of transformed rat cells, 337

H4 histone gene, cloned, of the mouse, structure and expression in L-cells, 607
Hairpin identification in the filamentous chimeric phage M13*Gori*1, 245
Hall, M. N. & Silhavy, T. J., Genetic analysis of the *ompB* locus in *Escherichia coli* K-12, 1
Hayward, S. B. & Stroud, R. M., Projected structure of purple membrane determined to 3·7 Å resolution by low temperature electron microscopy, 491
Hearst, J. E. (see also Ikoku, A. S.), 245
Heinrikson, R. L. (see also Keim, P.), 179
Histone H4 gene, cloned, of the mouse, structure and expression in L-cells, 607
Homology between the structurally similar domains of rhodanese; the expected degree of sequence similarity that might arise in proteins that have converged to similar conformational states, 179

Human group C adenovirus sequences in the DNA of five lines of transformed rat cells, integration and transcription, 337
— 300 nucleotide renatured repeated DNA clones, base sequence studies, 17
Hybridization with six polypeptide encoding regions from *Saccharomyces cerevisiae* mitochondrial DNA identifies sequence rearrangements between mitochondrial DNAs of *Torulopsis glabrata* and *Kloeckera africana*, 367
Hydration geometry of a *B*-DNA dodecamer, 535
Hypoderma lineatum larvae collagenase, crystallization and preliminary X-ray diffraction data, 327

Ikemura, T., Correlation between the abundance of *Escherichia coli* transfer RNAs and the occurrence of the respective codons in its protein genes: a proposal for a synonymous codon choice that is optimal for the *E. coli* translational system, 389
Ikoku, A. S. & Hearst, J. E., Identification of a structural hairpin in the filamentous chimeric phage M13*Gori*1, 245

Influenza B virus, structural investigations, 329
Insect flight muscle in rigor, arrangement of cross-bridges, 663
Integration and transcription of group C human adenovirus sequences in the DNA of five lines of transformed rat cells, 337
Iso, K. (see also Watanabe, K.), 143

Jolly, D. J. (see also Deininger, P. L.), 17

Kairis, M. V. (see also Banks, G. R.), 321
Keil, B. (see also Ducruix, A.), 327
Keim, P., Heinrikson, R. L. & Fitch, W. M., An examination of the expected degree of sequence similarity that might arise in proteins that have converged to similar conformational states. The impact of such expectations on the search for homology between the structurally similar domains of rhodanese, 179
Kidd, S. J. & Glover, D. M., *Drosophila melanogaster* ribosomal DNA containing type II insertions is variably transcribed in different strains and tissues, 645
Kloeckera africana and *Torulopsis glabrata* mitochondrial DNAs, sequence rearrangements identified by hybridization with six polypeptide encoding regions from *Saccharomyces cerevisiae* mitochondrial DNA, 367
Koller, Th. (see also Stasiak, A.), 557
Kolodrubetz, D. & Scheif, R., Regulation of the L-arabinose transport operons in *Escherichia coli*, 215
Krohne, G., Dabauvalle, M.-C. & Franke, W. W., Cell type-specific differences in protein composition of nuclear pore complex-lamina structures in oocytes and erythrocytes of *Xenopus laevis*, 121
Kroon, C. (see also Mellema, J. E.), 329
Krygsman, P. C. J. (see also Mellema, J. E.), 329

Lactate dehydrogenase, pig heart, structure of the active ternary complex with *S*-lac-NAD^+ at 2·7 Å resolution, 289
Lampbrush chromosome transcription is inhibited by antibodies to RNA polymerase II (B) after microinjection into living amphibian oocytes, 81
Larvae of *Hypoderma lineatum*, crystallization and preliminary X-ray diffraction data for the collagenase, 327
L-cell expression and structure of a cloned H4 histone gene of the mouse, 607
L-cells infected with reovirus, regulation of translation, 35
Lecroisey, A. (see also Ducruix, A.), 327
Lemischka, I. R., Farmer, S., Racaniello, V. R. & Sharp, P. A., Nucleotide sequence and evolution of a mammalian α-tubulin mRNA, 101
Light meromyosin tactoid, X-ray diffraction and electron microscopy, 467
Low temperature electron microscopy of purple membrane; projected structure at 3·7 Å resolution, 491
Luther, P. K., Munro, P. M. G. & Squire, J. M., Three-dimensional structure of the vertebrate muscle A-band. III. M-region structure and myosin filament symmetry, 703

M13*Gori*1 (see also Bacteriophage), 245
McMammon, J. A. (see also Mao, B.), 199
McKeown, M. & Firtel, R. A., Evidence for sub-families of actin genes in *Dictyostelium* as determined by comparison of 3′ end sequences, 593
Mammalian neurofilament triplet proteins, self-assembly *in vitro* of the 68,000 molecular weight component into intermediate-sized filaments, 565
— α-tubulin mRNA, nucleotide sequence and evolution, 101
Mao, B., Pear, M. R., McCammon, J. A. & Northrup, S. H., Repulsive interactions between polar and apolar atoms in globular proteins, 199
Mastromei, G., Eliasson, R. & Reichard, P., Stimulation of polyoma DNA replication in isolated nucleoprotein complexes by factors from *Drosophila* embryos, 627
Mellema, J. E., Andree, P. J., Krygsman, P. C. J., Kroon, C., Ruigrok, R. W. H., Cusack, S., Miller, A. & Zulauf, M., Structural investigations of influenza B virus, 329
Meromyosin, light, X-ray diffraction and electron microscopy of a tactoid, 467
Messenger RNA molecule, sequential folding, 519
— —, α-tubulin, mammalian, nucleotide sequence and evolution, 101
Microinjection into living amphibian oocytes of antibodies to RNA polymerase II (B) inhibits transcription in lampbrush chromosomes, 81
Miller, A. (see also Mellema, J. E.), 329
Millward, S. (see also Skup, D.), 35
Mitochondrial DNAs of *Torulopsis glabrata* and *Kloeckera africana*, sequence rearrangements identified by hybridization with six polypeptide encoding regions from *Saccharomyces cerevisiae* mitochondrial DNA, 367
Molineux, I. J. (see also Banks, G. R.), 321
Mouse cells, replication of polyoma plasmid recombinants, 203
—, structure and expression in L-cells of a cloned H4 histone gene, 607
M-region structure and myosin filament symmetry; three-dimensional structure of the vertebrate muscle A-band, 703
Munro, P. M. G. (see also Luther, P. K.), 703
Muscle A-band, vertebrate, three-dimensional structure: M-region structure and myosin filament symmetry, 703
— fibers, glycerinated, contracting, spin-label study of actin myosin–nucleotide interactions, 411
—, insect flight, in rigor, arrangement of cross-bridges, 663
— thick filaments, skeletal, vertebrate, a new structural element: end-filaments, 309
Myoglobin, *Aplysia*, ferric, water is absent at the sixth co-ordination site, 315
Myosin–actin–nucleotide interactions in contracting glycerinated muscle fibers, spin-label study, 411
— filament symmetry and M-region structure; three-dimensional structure of the vertebrate muscle A-band, 703

Na, G. C. & Timasheff, S. N., Interaction of calf brain tubulin with glycerol, 165
Nearest neighbours in the *Escherichia coli* ribosome are elongation factor G and protein S12, 229
Neurofilament triplet proteins, mammalian, self-assembly *in vitro* of the 68,000 molecular weight component into intermediate-sized filaments, 565
Northrup, S. H. (see also Mao, B.), 199
Nuclear pore complex-lamina structures in oocytes and erythrocytes of *Xenopus laevis*, cell type-specific differences in protein composition, 121
Nucleoprotein complexes, isolated, stimulation of polyoma DNA replication in, by factors from *Drosophila* embryos, 627
Nussinov, R. & Tinoco, I., Jr, Sequential folding of a messenger RNA molecule, 519

O'Brien, E. (see also Offer, G.), 663
Offer, G., Couch, J., O'Brien, E. & Elliott, A., Arrangement of crossbridges in insect flight muscle in rigor, 663
Offer, G. W. (see also Yagi, N.), 467
O'Hare, K., Replication of polyoma plasmid recombinants in mouse cells, 203
ompB locus in *Escherichia coli* K-12, genetic analysis, 1
Oocytes, amphibian, living, antibodies to RNA polymerase II (B) inhibit transcription in lampbrush chromosomes after their microinjection, 81
— and erythrocytes of *Xenopus laevis*, cell type-specific differences in protein composition of nuclear pore complex-lamina structures, 121

Organization and sequence analysis of a cluster of repetitive DNA elements from *Xenopus laevis*, 573
Ovchinnikov, Y. A. (see also Girshovich, A. S.), 229

Pascard, C. (see also Ducruix, A.), 327
Pear, M. R. (see also Mao, B.), 199
Pig heart lactate dehydrogenase active ternary complex with *S*-lac-NAD^+, structure at 2·7 Å resolution, 289
Plasmid recombinants, polyoma, replication in mouse cells, 203
Polar and apolar atoms, repulsive interactions between, in globular proteins, 199
Polyoma DNA replication in isolated nucleoprotein complexes, stimulation by factors from *Drosophila* embryos, 627
— plasmid recombinants, replication in mouse cells, 203
Pore complex-lamina structures, nuclear, in oocytes and erythrocytes of *Xenopus laevis*, cell type-specific differences in protein composition, 121
Protein composition of nuclear pore complex-lamina structures in oocytes and erythrocytes of *Xenopus laevis* shows cell type-specific differences, 121
—, recA, elongation of duplex DNA, 557
— S12 and elongation factor G are the nearest neighbours in the *Escherichia coli* ribosome, 229
Proteins, globular, disulphide bridges, 261
—, —, repulsive interactions between polar and apolar atoms, 199
— that have converged to similar conformational states, the expected degree of sequence similarity; the search for homology between the structurally similar domains of rhodanese, 179
—, triplet, of the mammalian neurofilament, self-assembly *in vitro* of the 68,000 molecular weight component into intermediate-sized filaments, 565
Purple membrane, projected structure determined to 3·7 Å resolution by low temperature electron microscopy, 491

Racaniello, V. R. (see also Lemischka, I. R.), 101
Rat cells, transformed, integration and transcription of group C human adenovirus sequences in the DNA of five lines, 337
recA protein elongation of duplex DNA, 557
Reduced bovine pancreatic trypsin inhibitor, accessibilities and reactivities of cysteine thiols during refolding, 211
Refolding of reduced bovine pancreatic trypsin inhibitor, and the accessibilities and reactivities of cysteine thiols, 211
Regulation of the L-arabinose transport operons in *Escherichia coli*, 215
— — translation in L-cells infected with reovirus, 35
Reichard, P. (see also Mastromei, G.), 627
Reith, W. (see also Spohr, G.), 573
Renatured 300 nucleotide repeated human DNA clones, base sequence studies, 17
Reovirus-infected L-cells, regulation of translation, 35
Repetitive DNA element cluster from *Xenopus laevis*, organization and sequence analysis, 573
Replication of polyoma DNA complexes, stimulation by factors from *Drosophila* embryos, 627
— — — plasmid recombinants in mouse cells, 203
RNA polymerase II (B) antibodies inhibit transcription in lampbrush chromosomes after microinjection into living amphibian oocytes, 81
Rhodanese, the search for homology between its structurally similar domains; the expected degree of sequence similarity that might arise in proteins that have converged to similar conformational states, 179
Ribosomal DNA, *Drosophila melanogaster*, containing type II insertions, is variably transcribed in different strains and tissues, 645
Ribosome of *Escherichia coli*, elongation factor G and protein S12 are the nearest neighbours, 229
Rigatti, G. (see also Giacometti, G. M.), 315
Robertson, J. M. & Wintermeyer, W., Effect of translocation on topology and conformation of anticodon and D loops of RNA^{Phe}, 57
Rossmann, M. G. (see also Grau, U. M.), 289
Rubin, C. M. (see also Deininger, P. L.), 17
Ruigrok, R. W. H. (see also Mellema, J. E.), 329

S12 protein and elongation factor G are the nearest neighbours in the *Escherichia coli* ribosome, 229
Saccharomyces cerevisiae mitochondrial DNA, sequence rearrangements between mitochondrial DNAs of *Torulopsis glabrata* and *Kloeckera africana* identified by hybridization with six polypeptide encoding regions, 367
SCHEER, U. (see also BONA, M.), 81
SCHEIF, R. (see also KOLODRUBETZ, D.), 215
SCHMID, C. W. (see also DEININGER, P. L.), 17
SEILLER-TUYNS, A. & BIRNSTEIL, M. L., Structure and expression in L-cells of cloned H4 histone gene of the mouse, 607
Self-assembly *in vitro* of the 68,000 molecular weight component of the mammalian neurofilament triplet proteins into intermediate-sized filaments, 565
Sequence analysis and organization of a cluster of repetitive DNA elements from *Xenopus laevis*, 573
—, nucleotide, and evolution of a mammalian α-tubulin messenger RNA, 101
— rearrangements between mitochondrial DNAs of *Torulopsis glabrata* and *Kloeckera africana* identified by hybridization with six polypeptide encoding regions from *Saccharomyces cerevisiae* mitochondrial DNA, 367
— similarity that might arise in proteins that have converged to similar conformational states; the search for homology between the structurally similar domains of rhodanese, 179
— studies of 300 nucleotide renatured repeated human DNA clones, 17
Sequences, adenovirus, human, group C, integration and transcription in the DNA of five lines of transformed rat cells, 337
—, 3′ end, provide evidence for sub-families of actin genes in *Dictyostelium*, 593
Sequential folding of a mRNA molecule, 519
SHAPIRO, L. (see also WAGENKNECHT, T.), 439
SHARP, P. A. (see also LEMISCHKA, I. R.), 101
SHIMIZU, H. (see also ARATA, T.), 411
SILHAVY, T. J. (see also HALL, M. N.), 1
Single-stranded DNA binding protein–DNA complex, electron microscopy, 321
68,000 molecular weight component of the mammalian neurofilament triplet proteins, self-assembly *in vitro* into intermediate-sized filaments, 565
SKUP, D., ZARBL, H. & MILLWARD, S., Regulation of translation in L-cells infected with reovirus, 35
S-lac-NAD$^+$ active ternary complex with pig heart lactate dehydrogenase, structure at 2·7 Å resolution, 289
SPANOS, A. (see also BANKS, G. R.), 321
Spin-label study of actin–myosin–nucleotide interactions in contracting glycerinated muscle fibers, 411
SPOHR, G., REITH, W. & SURES, I., Organization and sequence analysis of a cluster of repetitive DNA elements from *Xenopus laevis*, 573
SQUIRE, J. M. (see also LUTHER, P. K.), 703
SRIPRAKASH, K. S. (see also CLARK-WALKER, G. D.), 367
STASIAK, A., DI CAPUA, E. & KOLLER, TH., Elongation of duplex DNA by recA protein, 557
STROUD, R. M. (see also HAYWARD, S. B.), 491
Structural element, new, of vertebrate skeletal muscle thick filaments: end-filaments, 309
— hairpin identification in the filamentous chimeric phage M13*Gori*1, 245
— investigations of influenza B virus, 329
— similarity: an examination of the expected degree of sequence similarity that might arise in proteins that have converged to similar conformational states; the search for homology between the structurally similar domains of rhodanese, 179
Structure and expression in L-cells of a cloned H4 histone gene of the mouse, 607
— of a *B*-DNA dodecamer; geometry of hydration, 535
— — chromatin, quantitative analysis by circular dichroism, 143
— — the active ternary complex of pig heart lactate dehydrogenase with *S*-lac-NAD$^+$ at 2·7 Å resolution, 289
— — — flagellar hook from *Caulobacter crescentus*, 439
—, projected, of purple membrane determined to 3·7 Å resolution by low temperature electron microscopy, 491
—, three-dimensional, of the vertebrate muscle A-band. M-region structure and myosin filament symmetry, 703
Sub-families of actin genes in *Dictyostelium*, evidence from comparisons of 3′ end sequences, 593
SURES, I. (see also SPOHR, G.), 573

Tactoid of light meromyosin, X-ray diffraction and electron microscopy, 467

Ternary complex, active, of pig heart lactate dehydrogenase with *S*-lac-NAD^+, structure at 2·7 Å resolution, 289
Thiols, cysteine, accessibilities and reactivities during refolding of reduced bovine pancreatic trypsin inhibitor, 211
Thornton, J. M., Disulphide bridges in globular proteins, 261
300 nucleotide renatured repeated human DNA clones, base sequence studies, 17
Timasheff, S. N. (see also Na, G. C.), 165
Tinoco, I., Jr (see also Nussinov, R.), 519
Topology and conformation of anticodon and D loops of $tRNA^{Phe}$, effect of translocation, 57
Torulopsis glabrata and *Kloeckera africana* mitochondrial DNAs, sequence rearrangements identified by hybridization with six polypeptide encoding regions from *Saccharomyces cerevisiae* mitochondrial DNA, 367
Transcription and integration of group C human adenovirus sequences in the DNA of five lines of transformed rat cells, 337
— in lampbrush chromosomes is inhibited by antibodies to RNA polymerase II (B) after microinjection into living amphibian oocytes, 81
—, variable in different strains and tissues, of *Drosophila* ribosomal DNA containing type II insertions, 645
Transfer RNAs of *Escherichia coli*, correlation between their abundance and the occurrence of the respective codons in the protein genes: a proposal for a synonymous codon choice that is optimal for the *E. coli* translational system, 389
$tRNA^{Phe}$, effect of translocation on topology and conformation of anticodon and D loops, 57
Translation regulation in L-cells infected with reovirus, 35
Translocation, effect on topology and conformation of anticodon and D loops of $tRNA^{Phe}$, 57
Transport operons, L-arabinose, regulation in *Escherichia coli*, 215
Trinick, J. A., End-filaments: a new structural element of vertebrate skeletal muscle thick filaments, 309
Triplet proteins of the mammalian neurofilament, self-assembly *in vitro* of the 68,000 molecular weight component into intermediate-sized filaments, 565
Trommer, W. E. (see also Grau, U. M.), 289
Tubulin, calf brain, interaction with glycerol, 165
α-Tubulin mRNA, mammalian, nucleotide sequence and evolution, 101

Vertebrate muscle A-band, three-dimensional structure; M-region structure and myosin filament symmetry, 703
— skeletal muscle thick filaments, a new structural element: end-filaments, 309
Virus, influenza B, structural investigations, 329

Wagenknecht, T., Derosier, D., Shapiro, L. & Weissborn, A., Three-dimensional reconstruction of the flagellar hook from *Caulobacter crescentus*, 439
Watanabe, K. & Iso, K., Quantitative analysis of chromatin structure by circular dichroism, 143
Water is absent at the sixth co-ordination site in ferric *Aplysia* myoglobin, 315
Weber, K. (see also Geisler, N.), 565
Weissborn, A. (see also Wagenknecht, T.), 439
Wintermeyer, W. (see also Robertson, J. M.), 57
Wold, W. S. M. (see also Green, M.), 337

Xenopus laevis, organization and sequence analysis of a cluster of repetitive DNA elements, 573
X-ray diffraction and electron microscopy of a light meromyosin tactoid, 467
— — data, preliminary, and crystallization for the collagenase of *Hypoderma lineatum* larvae, 327

Yagi, N. & Offer, G. W., X-ray diffraction and electron microscopy of a light meromyosin tactoid, 467

Zarbl, H. (see also Skup, D.), 35
Zulauf, M. (see also Mellema, J. E.), 329